



MkDocs Exporter  
6.1.1

# Configuration

# Configuration

## `mkdocs_exporter.config.Config`

The plugin's configuration.

» Source code in `mkdocs_exporter/config.py`

```
38 class Config(BaseConfig):
39     """The plugin's configuration."""
40
41     theme = c.Optional(c.Theme(default=None))
42     """Override the theme used by your MkDocs instance."""
43
44     formats = c.SubConfig(FormatsConfig)
45     """The formats to generate."""
46
47     buttons = c.ListOfItems(c.SubConfig(ButtonConfig), default=[])
48     """The buttons to add."""
49
50     logging = c.SubConfig(LoggingConfig)
51     """The logging configuration."""
```

`buttons = c.ListOfItems(c.SubConfig(ButtonConfig), default=[])`

The buttons to add.

`formats = c.SubConfig(FormatsConfig)`

The formats to generate.

`logging = c.SubConfig(LoggingConfig)`

The logging configuration.

`theme = c.Optional(c.Theme(default=None))`

Override the theme used by your MkDocs instance.

## `mkdocs_exporter.config.ButtonConfig`

The configuration of a button.

” Source code in `mkdocs_exporter/config.py`

```
15 class ButtonConfig(BaseConfig):
16     """The configuration of a button."""
17
18     enabled = c.Type((bool, Callable), default=True)
19     """Is the button enabled?"""
20
21     title = c.Type((str, Callable))
22     """The button's title."""
23
24     icon = c.Type((str, Callable))
25     """The button's icon (typically, an SVG element)."""
26
27     attributes = c.Type((dict, Callable), default={})
28     """Some extra attributes to add to the button."""
```

`attributes = c.Type((dict, Callable), default={})`

Some extra attributes to add to the button.

`enabled = c.Type((bool, Callable), default=True)`

Is the button enabled?

`icon = c.Type((str, Callable))`

The button's icon (typically, an SVG element).

`title = c.Type((str, Callable))`

The button's title.

`mkdocs_exporter.config.FormatsConfig`

” Source code in `mkdocs_exporter/config.py`

```
9 class FormatsConfig(BaseConfig):
10
11     pdf = c.SubConfig(PDFFormatConfig)
12     """The PDF format configuration."""
```

`pdf = c.SubConfig(PDFFormatConfig)`

The PDF format configuration.

## mkdocs\_exporter.config.LoggingConfig

The logging configuration.

” Source code in `mkdocs_exporter/config.py`

```
31 class LoggingConfig(BaseConfig):
32     """The logging configuration."""
33
34     level = c.Choice(['debug', 'info', 'warning', 'error', 'critical'], default='info')
35     """The log level."""
```

```
level = c.Choice(['debug', 'info', 'warning', 'error', 'critical'],
default='info')
```

The log level.

# MkDocs Exporter